

Message

From: Kavlock, Robert [Kavlock.Robert@epa.gov]
Sent: 10/24/2016 6:57:01 PM
To: Gwinn, Maureen [gwinn.maureen@epa.gov]; Bahadori, Tina [Bahadori.Tina@epa.gov]; Cascio, Wayne [Cascio.Wayne@epa.gov]; Thomas, Russell [Thomas.Russell@epa.gov]; Deener, Kathleen [Deener.Kathleen@epa.gov]; Bussard, David [Bussard.David@epa.gov]; Axelrad, Daniel [Axelrad.Daniel@epa.gov]; Dix, David (NIH/NCATS) [V] [david.dix@nih.gov]; Burke, Thomas [Burke.Thomas@epa.gov]
CC: Laura Romano [lromano@gwmail.gwu.edu]
Subject: RE: Reframing Risk paper revised
Attachments: Reframing Chemical Risk Assessment-1004 rjk.docx

Some comments from me. I think

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Bob

From: Gwinn, Maureen
Sent: Tuesday, October 04, 2016 9:40 PM
To: Bahadori, Tina <Bahadori.Tina@epa.gov>; Kavlock, Robert <Kavlock.Robert@epa.gov>; Cascio, Wayne <Cascio.Wayne@epa.gov>; Thomas, Russell <Thomas.Russell@epa.gov>; Deener, Kathleen <Deener.Kathleen@epa.gov>; Bussard, David <Bussard.David@epa.gov>; Axelrad, Daniel <Axelrad.Daniel@epa.gov>; Dix, David (NIH/NCATS) [V] <david.dix@nih.gov>; Burke, Thomas <Burke.Thomas@epa.gov>
Cc: Laura Romano <lromano@gwmail.gwu.edu>
Subject: Reframing Risk paper revised

Hi all -

Please review the attached draft manuscript on reframing risk. This is largely final, it just needs an abstract and to be formatted this for the Lancet Global Health journal (instructions to authors attached as an FYI). The word count is slightly over the 3,000 word count (not including tables, figures and references) so some further streamlining will be needed, but I wanted to give you all an opportunity to review and suggest final edits. Figures are attached in ppt and pdf for easier viewing on iphones.

Please send any comments back to me by COB 10/17/16, and we will plan to submit to the Lancet soon after.

Thank you!

Maureen

Maureen R. Gwinn, PhD DABT ATS
Immediate Office of the Assistant Administrator
Office of Research and Development
US Environmental Protection Agency

t(202)564-4621
m(703)434-9093